

BESICO

BESICO KECHNEC

New Space Available for Lease
in a Perspective Location
for Your Business

Warehouse & Logistics

Light Industrial Production Facilities and Services

Offices

www.besico.eu



LOCATION



14 min
from Valaliky
(Volvo)



0.5 km
highway




23 km
Košice international
airport

This new and thriving industrial park is situated in the southern part of the Košice-okolie district, roughly 20 kilometres south of Košice and two kilometres away from the Hungarian state border. This location has enormous growth potential, as a new Volvo plant is being built near the village of Valaliky, just 14 minutes away from the industrial park.

The site is conveniently located near the exit of the E71 highway, providing easy access to the second biggest Slovak town, Košice, and comfortable highway access to Hungary. The strategic locations within the country are comfortably accessible through the highway.

Approximative distances


Košice	20 km	Prešov	57 km
Miškolec (HU)	69 km	Žilina	270 km
Budapešť (HU)	243 km	Bratislava	465 km



ABOUT THE PROJECT



Tailor made solutions



45 600 sqm
total rentable area
of production and
warehouse



5 800 sqm
office space



Parking space for
personal cars and
LKW




We have a range of unit sizes available, from small spaces to custom-made solutions for large logistics operations. Our premises are versatile and suitable for logistics services, light industrial production, and commercial purposes.

We are committed to meeting your unique needs and strive to provide everything you require on our site. We will work closely with you to develop your project, from design to completion, offering support at every stage of the process.



BESICO

LAYOUT



Total available area:
45 600 sqm (in 3 halls)

Office size available:
5 800 sqm

Total number of parking space:
269 vehicles
and 7 LKW with managed
operation

Minimum size available:
5 000 sqm

Tailor-made solutions for your logistics, industrial and commercial activities

BESICO standard

All rental spaces can be adapted according to the future tenant's requirements. To a certain extent, adjustments may be made even if a building is already under construction in order to accommodate the tenant's special technical requirements.

HEADQUARTER

all administrative space built to suit plenty of parking space

WAREHOUSE & LOGISTICS

high building standards from small units to big solutions according to your needs

PRODUCTION FACILITIES AND SERVICES

all infrastructure on-site tailor-made solutions

1. GENERAL DESIGN

The approximate area will be the following according to the lay-out. According to the needs of the tenant this area can be adjusted before carrying out the works. The structure shall be designed for the following superimposed loads in addition to any other loads required by local codes (snow, wind, etc...). The columns are standardly placed on a grid of 12 x 24 m). Standard clear height between the floor and the lowest part of the load-bearing structure in the warehouse is 12 m, the height of offices, social and canteen is 2,6m. Production / warehouse floor will be flat and suitable for forklift truck use.

3. INNER SPACE

All inner walls will be made of gypsum, bricks or sandwich system. If the fire protection study requires a fire-resistant wall between the office building and the production, this will be done according to local regulation. Office spaces are air-conditioned, Interior doors and wall colours are as specified by the customer. Production / warehouse floor will be flat and suitable for forklift truck use.

5. LIGHTS

The lighting of the production and warehouse hall will be addressed by LED lighting elements with min 250 lux according on local regulations. Offices, social and canteen: 500 lux by using recessed down lights. The lights are divided into independent control sections.

6. GATES

Sufficient loading ramps and gates are provided for truck loading and unloading. One truck dock with motorized insulated sectional gate 3.0 x 3.2 m per 880m2 of renter warehouse / production hall. All with hydraulic bridges. One Drive-in gate 4.0 x 4.5 m. The gates will have a transparent segment at eye level.

7. SUSTAINABILITY


Upon request and if desired, we can work together with the tenant towards a higher standard. At basic standard parking lots will be constructed from drainage blocks. The front part will be finished with greenery.

2. WINDOWS

Plastic frames and glass will be used for windows in the offices, social rooms and canteen. There are not planned windows in the production / warehouse hall. Preparation for external sun blind will be installed on the office part of the building. At least 2% of the roof area will be made of transparent materials, motorized opening for daily ventilation 10 % to be open able.


4. ROOF

The roof structure consists of loadbearing steelreinforced concrete beams, trapezoidal steel sheeting, a vapour insulation layer and thermal insulation of mineral wool segments and a top layer of waterproofing foil. Ready for photovoltaic system instalation.



ESTABLISHED COMPANIES





BESICO

Professional international developer of real estates for lease

International Experience with Local Know-How
Strong Capital Background
Focused on Long-Term Cooperation
Proactive Portfolio Management
Comprehensive Services

Peter Kršák

Country Head of BESICO Slovakia
+421 917 561 459
peter.krsak@besico.eu

Štúrova 22, 949 01 Nitra
+421 37 31 41 501
info@besico.eu

www.besico.eu

